

CIRLOCK

LOCKOUT / TAGOUT EQUIPMENT



<u>Page No:</u>	<u>Content:</u>
2	Introduction to Cirlock
3	About Lockout / Tagout
4	Universal Lockout Devices for Circuit Breakers
5	Universal Lockout Device for Fuse Holders
6 - 7	Lockout Hasps
8	Multifunction Cable Lockout
9 - 10	Valve Lockouts
11	Plug Lockouts
12 - 13	Tags
14	Tag Holder - Permit Holder
15	Group Lock Box
16 - 18	Safety Lockout Padlocks
19	Belt Carry Bag with 3 Keyed Alike Padlocks
20 - 21	Lockout Kits
22 - 23	Lockout Stations
24 - 29	CIRLOCK System
30 - 31	FUSELOCK System
32 - 33	ELCOVER Hardware



About Lockout - Tagout

Lockout / Tagout is all about controlling hazardous energy, to prevent accidents, injury to people and damage to plant and equipment.

In its basic form Lockout is – before working on equipment - manually isolating hazardous energy sources, such as electricity, hydraulics, compressed air, steam or stored energy, and placing a lock on the isolation point, preventing it from being operated until lock is removed.

Tagout is placing a Tag on the locked isolation point, informing about the isolation – why it is isolated, by whom and advising not to remove or operate.

Procedures on how to perform Lockout / Tagout should be in place in all workplaces where necessary. In larger plants and factories isolating energy sources can be complicated and plans should be in place to ensure safety of workers.

In many industries and in some States, the use of Lockout / Tagout are now mandatory.

CIRLOCK offers a full range of Lockout / Tagout Equipment – mostly made in Australia for Australian used equipment – to enable companies employees and workers to stay safe, and to comply with legislation.

The Company **CIRLOCK** - Erik Larsen Pty. Ltd. trading as CIRLOCK - is an Australian owned and operated business, specialising in Lockout and Tagout Equipment for Energy Sources. The company's aim is to provide a full range of Lockout Equipment for all Industries. This Catalogue shows we are well on the way to achieving this.

CIRLOCK has been manufacturing Lockout Devices since its start in 1992. First the Cirlock System and Fuselock System was developed and marketed. Since then we have steadily grown and expanded our range of Lockout / Tagout Equipment.

Most of our products in this Catalogue are our own design and manufactured by us or on our behalf, in Australia.

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Universal Lockout Device for Miniature Circuit Breakers

- Will Lock Out most Types of Miniature Circuit Breakers
- Lock Out 1 - 4 pole Circuit Breakers
- Made from durable plastics
- Dimensions: 45x25x10mm wide
- 8 mm padlock hole - max clamping 8 mm

UCL-1



Part No.	Description
UCL-1	Miniature CB Universal Lockout - Single Pack
UCL-1-25P	Miniature CB Universal Lockout - 25 x Indiv. Pack
UCL-1-100P	Miniature CB Universal Lockout - 100 x Indiv. Pack
UCL-1-100B	Miniature CB Universal Lockout - BULK Box of 100



When Locking Out: Clamp UCL-1, UCL-2 or UCL-5 on to the CB's toggle in the OFF position, using a small screw driver and the set screw in the devices. Place a padlock through hole to prevent access to set screw.

Universal Lockout Device for Moulded Case Circuit Breakers

- Will Lock Out most Types of Moulded Case Circuit Breakers
- Lock Out 1 - 4 pole Circuit Breakers
- Made from durable plastics
- Dimensions: 51x25x23mm wide
- 8 mm padlock hole - max clamping 13 mm

UCL-2



Part No.	Description
UCL-2	Moulded Case CB Universal Lockout - Single Pack
UCL-2-25P	Moulded Case CB Universal Lockout - 25 x Indiv. Pack
UCL-2-100P	Moulded Case CB Universal Lockout - 100 x Indiv. Pack
UCL-2-100B	Moulded Case CB Universal Lockout - BULK Box of 100



Lockout Device for RCD / Circuit Breakers with Short Toggle

- Made to Lock Out some Brands of EL CB's with a short toggle
- Will only Lock Out CB's with SHORT Toggle.
- Made from durable plastics
- Dimensions: 51x20x23mm wide
- 8 mm padlock hole - max clamping 11 mm

UCL-2-EL



Part No.	Description
UCL-2-EL	Short Toggle CB Lockout - Single Pack
UCL-2-EL-25P	Short Toggle CB Lockout - 25 x Indiv. Packed



NOTE:

UCL-2-EL cannot be used on earlier Type SAFE-T DRCB E/L C/B with longer toggle.

Lockout Device for Large Circuit Breakers

- Will Lock Out most Types of Large Circuit Breakers with a Toggle
- Lock Out 1 - 4 pole Circuit Breakers
- Made from durable plastics
- Dimensions: 125x63x40mm wide
- 8 mm padlock hole - clamping toggle 12 to 19 mm

UCL-5



Part No.	Description
UCL-5	Large CB Lockout - Single Pack
UCL-5-10P	Large CB Lockout - 10 x Indiv. Pack
UCL-5-100B	Large CB Lockout - Bulk pack of 100



Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.


Universal Lockout Device for Fuse Holders

- Will Lock Out most Types of Fuse Holders - One size fits all
- Lock out 20 Amp to 400 Amp Fuse Holders
- Made from sturdy Nylon Plastics
- Dimensions: 60x35x15 mm wide
- 8mm padlock hole - max clamping 5mm

UFL-2



Part No.	Description
UFL-2	Universal Fuse Holder Lockout - Single Pack
UFL-2-25P	Universal Fuse Holder Lockout - 25 x Indiv. Pack
UFL-2-100P	Universal Fuse Holder Lockout - 100 x Indiv. Pack
UFL-2-100B	Universal Fuse Holder Lockout - BULK Box of 100



UFL-2 will lock out a large range of different types, brands and sizes of fuse holders. One size fits most fuse holders.



Complete Individual Lockout Device for Circuit Breakers - Permanently Mounted.

- Ideal for situations where lockout of individual breakers is required
- Moulded from re-inforced Nylon
- Fitted to Circuit Breaker Cover
- See also page 28 for more information
- Nylon screws for mounting available

SPLD-

Part No.	Description
SPLD-M1	Lockout Device for Miniature C/B's with toggle in the middle
SPLD-M2	Lockout Device for Miniature C/B's with toggle at bottom
SPLD-1	Lockout Device for MCCB's - Large
SPLD-2	Lockout Device for MCCB's - Medium
SPLD-3	Lockout Device for MCCB's - Small
SNP-4	Set of 4 Nylon Screws (M4 x 12) and Nut - Single Pack



SPLD-M1 shown

Also available in High Visibility Yellow

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Lockout Hasp - STAINLESS STEEL - with Red Polycoating

- Slimline Jaws - 5mm
- 6 Padlock Holes up to 8 mm shackle diameter
- Made from 304 stainless steel
- Steel thickness 2 mm
- Jaw size 30 mm

SLH-30

Part No.	Description
SLH-30	Lockout Hasp Stainless Steel - Red coating -Single Pack
SLH-30-25P	Lockout Hasp Stainless Steel - Red coating - 25 x Indiv. Pack
SLH-30-100B	Lockout Hasp Stainless Steel- Red coating - BULK Box of 100



Will fit through 6mm diameter x 10mm deep size hole

Lockout Hasp - STAINLESS STEEL - without coating

- Slimline Jaws 5 mm
- 6 Padlock Holes up to 9 mm shackle
- Made from 304 stainless steel
- Steel thickness 2 mm
- Jaw size 30 mm

SLH-31

Part No.	Description
SLH-31	Lockout Hasp Stainless Steel - Single Pack
SLH-31-25P	Lockout Hasp Stainless Steel - 25 x Indiv. Pack
SLH-31-100B	Lockout Hasp Stainless Steel - BULK Box of 100



Will fit through 6mm diameter x 10mm deep hole size

Lockout Hasp - Standard Type - Plated Steel - Red Coating

- Plain Top Jaws (No Antitwist Opening Protection)
- 6 Padlock Holes up to 9 mm shackle
- Made from plated steel - rust resistant
- Very Economical and easy to use
- Jaw size 25 mm

SLH-42

Part No.	Description
SLH-42	Lockout Hasp Standard Type - Single Pack
SLH-42-25P	Lockout Hasp Standard Type - 25 Indiv. Pack
SLH-42-100B	Lockout Hasp Standard Type - BULK Box of 100



FOR 'SMALL HOLE LOCKOUT HASPS' - SEE PAGE 8 - MFL-3 FOR 3MM LOCKOUT HOLES

Lockout Hasp - Standard Type - Plated Steel - Red Coating

- With Antitwist Opening Protection inbuilt
- 6 Padlock Holes up to 9 mm shackle
- Made from steel plated to resist rust
- Very Economical and easy to use
- Jaw size 25 mm

SLH-52

Part No.	Description
SLH-52	Lockout Hasp Standard Type - Single Pack
SLH-52-25P	Lockout Hasp Standard Type - 25 Indiv. Pack
SLH-52-100B	Lockout Hasp Standard Type - BULK Box of 100



Flexible Lockout Hasp with Steel Cable - Spark Resistant

- Will fit in tight spots and where other Lockout Hasps are not suitable
- 4 Padlock Holes up to 8.5 mm Shackle
- Made from durable plastics and steel wire cable
- Steel Cable 5 mm diameter - 300 mm long - PVC coated
- Will fit in small holes (5mm and up) and is flexible

SLH-60

Part No.	Description
SLH-60	Flexible Lockout Hasp 300 mm - Single Pack
SLH-60-25P	Flexible Lockout hasp 300 mm - 25 x Indiv. Pack



Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Lockout Hasp - All Plastic

- 6 Padlock Holes up to 8.5 mm shackle
- Made from Heavy Duty Nylon
- Recommended where metal cannot be used
- Highly flexible - non-conductive

SLH-70

Part No.	Description
SLH-70	Lockout Hasp All Plastic - Single Pack
SLH-70-25P	Lockout Hasp All Plastic - 25 Indiv. Pack
SLH-70-100B	Lockout Hasp All Plastic - BULK Box of 100

Lockout Hasp - Tamper Proof

- **Steel Powder coated Red with a satin finish**
- 6 Padlock Holes up to 8mm shackle
- 1 x 8.5mm diameter hole - for supervisors lock
- Shackle 5.3mm diameter
- A Locksafe Product - Made in Australia

LS10009

Part No.	Description
LS10009	Lockout Hasp Tamper Proof - Single Pack

Lockout Hasp - 20 holes

- 20 Padlock Holes up to 8 mm shackle
- Made from Stainless Steel
- A Locksafe Product - Made in Australia
- Jaw size 28 mm

LS10036
LS10036PC

Part No.	Description
LS10036	Lockout Hasp - Stainless Steel Pack of 1
LS10036PC	Lockout Hasp - Stainless Steel red coating Pack of 1

Secure your Hasp - Stainless Steel Wire**WIR-1**

- Use our wire to secure your hasp to machinery
- Supplied with 2 Aluminium Ferrules
- 3mm overall thickness

Part No.	Description
WIR-1	3mm Stainless Steel Wire with PVC Coating - 1m length

**JUST CIR-LOCK IT!!**

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Multi Function Cable Lockout Device - with Steel Cable

- * Lockout Several Points, Gate Valves, Steering Wheels & Other Equipment
- * Plastic Housing with 5mm PVC Coated Steel Wire Cable
- * Extra Cables available - 2, 6 & 15 metre
- * Dimensions: Standard 1 metre Steel Wire Cable included
- * 4 Padlock Holes up to 8.5mm Shackles

MFL-2

Part No.	Description
MFL-2	Cable Lockout with 1 metre Steel Cable - Single Pack
MFL-2-2M	Cable Lockout with 2 metre Steel Cable - Single Pack
MFL-2-10P	Cable Lockout with 1 metre Steel Cable - 10 Indiv. Packed
MFL-2-100P	Cable Lockout with 1 metre Steel Cable - 100 Indiv. Packed
MFL-2-100B	Cable Lockout with 1 metre Steel Cable - BULK Box Of 100
MFL-SC1	Extra Additional Steel Cable Only - 1 metre - Single Pack
MFL-SC2	Extra Additional Steel Cable Only - 2 metre - Single Pack
MFL-SC6	Extra Additional Steel Cable Only - 6 metre - Single Pack



1m, 2, and 6m additional cables available.



ALL PLASTIC Cable Lockout Device - with PLASTIC Cable

- * Use where metal parts are not wanted - i.e. inside electrical cabinets
- * No external metal parts - Keep Metal Padlocks outside cabinets
- * Made from durable plastics with 5mm Cable - NOT FOR HEAVY DUTY USE
- * Dimensions: Standard 1 metre Plastic Cable included
- * 4 Padlock Holes up to 8.5 mm Shackles

MFL-2P

Part No.	Description
MFL-2P	Cable Lockout with 1 metre PLASTIC Cable - Single Pack
MFL-2P-10P	Cable Lockout with 1 metre PLASTIC Cable - 10 Indiv. Packed
MFL-2P-2M	Cable Lockout with 2 metre PLASTIC Cable - Single Pack
MFL-PC1	Additional PLASTIC CABLE ONLY - 1 metre - Single Pack
MFL-PC2	Additional PLASTIC CABLE ONLY - 2 metre - Single Pack



THIN Cable Lockout Device - Will Lock Out 3mm holes

- * Thin Cable Lockout for devices with small lockout holes
- * 3mm PVC Coated Steel Wire Cable - 1 metre
- * Made from durable plastics with 3mm Cable
- * 4 Padlock Holes up to 8.5 mm Shackles
- * MAY NOT BE SUITABLE FOR DEVICES WITH 5MM OR LARGER HOLES

MFL-3

Part No.	Description
MFL-3	Thin Cable Lockout with 1 metre Steel Cable - Single Pack



Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Gate Valve Lockout - Adjustable - Economical

- Can Lock Out Gate Valves up to 160mm diameter
- Made from tough ABS Plastic
- Accommodates padlocks up to 9mm shackle diameter
- Very easy to use on a variety of Valves
- High Visibility Yellow colour

GVL-1

Part No.	Description
GVL-1	Adjustable Gate Valve Lockout - Single Pack



Ball Valve Lockout - For various size Valves

- Can Lock Out most Ball Valves 19 - 32mm (3/8" - 1 1/4")
- Will also lock in Valve Open Position on most Ball Valves
- Great chemical resistance - Made from tough Polypropylene Plastic
- Accommodates padlocks up to 6.5mm shackle diameter
- 'One-Piece' Device - Very easy to use - Simply slide on handle and squeeze
- High Visibility Yellow colour

BVL-1

Part No.	Description
BVL-1	Ball Valve Lockout - Single Pack






Universal Butterfly Valve Lockout

- Lockout Butterfly Valves
- Made from strong Polypropylene plastic
- Highly resistant to solvents and other chemical products
- Will lock out most types/sizes of Butterfly Valves
- High Visibility Red Colour

BFL-1

Part No.	Description
BFL-1	Universal Butterfly Valve Lockout - Single Pack



Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Gate Valve Lockout

- Available in 5 different sizes
- Spark Resistant
- Available for Handle Diameter 50mm (2") to 350mm (14")
- Can be purchased individually or in a pack including all 5 sizes - GVL-2, GVL-4, GVL-6, GVL-8, GVL-10

GVL-



Part No.	Description
GVL-2	Gate Valve Lockout Handle up to 65mm/2.5" - Pack of 1
GVL-4	Gate Valve Lockout Handle up to 125mm/5" - Pack of 1
GVL-6	Gate Valve Lockout Handle up to 160mm/6.5" - Pack of 1
GVL-8	Gate Valve Lockout Handle up to 250mm/10" - Pack of 1
GVL-10	Gate Valve Lockout Handle up to 350mm/14" - Pack of 1
GVL-SET	Set of all 5 Gate Valve Lockout Devices



Universal Valve Lockout with Cable and Arm

- For precise closing / opening of all kinds of valves of various sizes and makes
- Multiple functioning with the help of PVC coated steel cable
- Supplied as standard with cable and 1 arm. Extra arm can be supplied on request.

UVL-1



Part No.	Description
UVL-1	Universal Valve Lockout Device



One device will Lock Out most types of valves!

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Plug & Hose Lockout Bag

- Heavy Duty Vinyl Bag with Steel Wire Closing Cord
- Lockout Bag for 240V size Electrical Plugs & Pressure Hoses
- Bag size: 130 x 150 mm
- 4 padlock holes up to 8mm

PLD-1



PLD- Bags folds for easy storage. **PLD-1** comes with velcro strap (**Part No: VEL-1**), to also use on air hoses with small end coupling. Wrap Velcro Cord with ring around hose end before placing in Lockout Bag.

Large Plug Lockout Bag

- Heavy Duty Vinyl Bag with Steel Wire Closing Cord
- Lockout Bag for Larger - 3 phase - Electrical Plugs
- Bag size: 450 x 250 mm
- 4 padlock holes up to 8mm
- Can also be used as a heavy duty lockable carry bag

PLD-2



Extra Large Plug Lockout Bag

- Heavy Duty Vinyl Bag with Steel Wire Closing Cord
- For Large Disconnect Plugs & other Large Plugs
- Bag size: 700 x 400 mm
- 4 padlock holes up to 8mm
- Can also be used as a heavy duty lockable carry bag

PLD-3

APPLICATION: Place Electrical Cord or Hose End in bag, tighten closing cord around Plug / Hose, with the attached Cord Hasp. Close Cord Hasp and place padlock and tag in holes provided.

Part No.	Description
PLD-1	240V Plug & Hose Lockout Bag - Single Pack
PLD-2	3 Phase / Large Plug Lockout Bag - Single Pack
PLD-3	Extra Large Plug Lockout Bag - Single Pack

Plug and Hose Lockout - Economical

- 2 sizes covers most plugs
- Made from spark resistant High Impact ABS Plastic
- Holds 4 padlocks up to 7mm shackle
- Easy to use
- Available in 2 sizes:
 PLD-11 Small - fits most 240v plugs
 PLD-12 Large - Multiple entry points suitable for airhoses or 3 phase plugs

PLD-11
PLD-12




PLD-12

Part No.	Description
PLD-11	Plug Lockout Device - small suitable for 240v plugs
PLD-12	Plug Lockout Device - large suitable for air hoses and 3 phase plugs



PLD-11

Internal measurements:
PLD-11 L 81mm x W 42mm x H 81mm
PLD-12 L 155mm x W 85mm x H 88mm



Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

DANGER TAGS - DO NOT OPERATE - Can be ripped

- Durable Polymaterial resist water and grease
- Size 140 x 75 mm - 8 mm grommet fits most padlocks
- Customised versions can be supplied

SDT-1



Part No.	Description
SDT-1-5B	Do Not Operate Tags - Pack of 5
SDT-1-25B	Do Not Operate Tags - Pack of 25
SDT-1-500B	Do Not Operate Tags - BULK Pack of 500
SDT-1-1000B	Do Not Operate Tags - BULK Pack of 1000

Warning Tags - OUT OF SERVICE - Yellow Colour

- Durable Polymaterial resist water and grease
- Size 140 x 75 mm - 8 mm grommet fits most padlocks
- Customised versions can be supplied

SDT-2



Part No.	Description
SDT-2-5B	Out of Service Tags - Pack of 5
SDT-2-25B	Out of Service Tags - Pack of 25
SDT-2-500B	Out of Service Tags - BULK Pack of 500
SDT-2-1000B	Out Of Service Tags - BULK Pack of 1000

Commissioning Tags - COMMISSIONING IN PROGRESS

- Durable Polymaterial resist water and grease
- Size 140 x 75 mm - 8 mm grommet fits most padlocks
- Customised versions can be supplied

SDT-3



Part No.	Description
SDT-3-5B	Commissioning in Progress tags - Pack of 5
SDT-3-25B	Commissioning in Progress tags - Pack of 25
SDT-1-500B	Commissioning in Progress tags - BULK Pack of 500
SDT-1-1000B	Commissioning in Progress tags - BULK Pack of 1000

Information Tags - INFORMATION - Blue Colour

- Durable Polymaterial resist water and grease
- Size 140 x 75 mm - 8 mm grommet fits most padlocks
- Customised versions can be supplied

SDT-4



Part No.	Description
SDT-4-5B	Information tags - Pack of 5
SDT-4-25B	Information tags - Pack of 25
SDT-4-500B	Information tags - BULK Pack of 500
SDT-4-1000B	Information tags - BULK Pack of 1000

DANGER TAGS - Do Not Operate - HEAVY DUTY - LAMINATED

- Heavy Duty Laminated Tag - RE-USEABLE - CAN NOT BE RIPPED
- Size 140 x 75 mm - 8 mm grommet fits most padlocks
- Write on with permanent marker
- Customised versions can be supplied

SDT-5



Part No.	Description
SDT-5-5B	Do Not Operate Tags - Heavy Duty Laminated - Pack of 5
SDT-5-25B	Do Not Operate Tags - Heavy Duty Laminated - Pack of 25
SDT-5-100B	Do Not Operate Tags - Heavy Duty Laminated - BULK Pack 100

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Personal Danger Tags - DO NOT REMOVE - RE-USABLE

- PVC Material resist water and grease
- Size only 80 x 50 mm with 8.5mm padlock hole
- REUSABLE 3mm thick PVC Plastic
- Space on back for Company Label or similar

SYT-1



Part No.	Description
SYT-1-2B	Do Not Remove Tags - Pack of 2
SYT-1-5B	Do Not Remove Tags - Pack of 5

DANGER TAGS - Photo Id - Self laminating

- Photo Id Self Laminating Tag
- Size 140 x 75 mm - 8 mm grommet fits most padlocks
- Customised versions can be supplied

SDT-6



Part No.	Description
SDT-6-5B	Do Not Operate Tags - Photo ID - Pack of 5
SDT-6-25B	Do Not Operate Tags - Photo ID - Pack of 25
SDT-6-100B	Do Not Operate Tags - Photo ID - BULK Pack 100



Simply place photo on space provided
- apply laminate on top

DANGER TAGS - Photo ID - HEAVY DUTY - LAMINATED

- Heavy Duty Laminated Tag - RE-USEABLE - CAN NOT BE RIPPED
- Size 140 x 75 mm - 8 mm grommet fits most padlocks
- Write on with permanent marker
- Customised versions can be supplied

SDT-7



Part No.	Description
SDT-7-5B	Do Not Operate Tags - Heavy Duty Laminated - Pack of 5
SDT-7-25B	Do Not Operate Tags - Heavy Duty Laminated - Pack of 25
SDT-7-100B	Do Not Operate Tags - Heavy Duty Laminated - BULK Pack 100

Other Layouts also available - Custom Made Tags available on request - Below are a selection shown (Not stocked - Dispatch time approx 3 weeks Min order 1000) - Enquiries: sales@cirlock.com.au



SDT-101



SDT-102



SDT-103



SDT-104

Please enquire about these, and / or other custom made Safety Tags

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Safety Tag Holders - for wall mounting - Can be joined together

- Moulded Clear Plastic
- For wall mounting with screws (screws not included)
- Single Pocket DL size - can be joined together to multiple holder
- Dimensions: 166 x 112 x 43 mm
- Will accommodate Safety Tags up to 100mm wide

STH-1



Part No.	Description
STH-9	Safety Tag Holder with 1 compartment - Single Pack



Safety Tag Holders - for wall mounting

- Made from robust Polycarbonate Plastics.
- 2, 3, or 4 pockets - 25 mm deep
- Dimensions: 200x256mm, 200x376mm, 200x496mm
- Will accommodate Safety Tags up to 110mm wide

STH-2

STH-3

STH-4



STH-3 shown

Part No.	Description
STH-2	Safety Tag Holder with 2 compartment - Single Pack
STH-3	Safety Tag Holder with 3 compartment - Single Pack
STH-4	Safety Tag Holder with 4 compartment - Single Pack

JUST CIR-LOCK IT!

Heavy Duty Permit / Manual / Procedure Holder

- Made from heavy duty PVC - Plastic welded joints
- With Top Velcro Close
- Splash Proof - with Reflective Tape front and back
- Well suited for Mining applications
- Can be used for display of Permits, Procedures, Vehicle Manuals, etc.
- Also good for keeping Danger Tags or Lockout Equipment stored
- 2 Brass Eyelets for fastening to machinery or other

ULB-1



Part No.	Description
ULB-1	Heavy Duty Manual Holder with Refelective Tape - Single Pack

Permit / Manual / Procedure / Tag or Other Holders

- A5 Size Plastic Pocket with zipper close (ULB-2)
- A4 Size Plastic Pocket with Velcro Top Close (ULB-3)
- Can be used for display of Permits and Procedures etc.
- Also good for keeping Danger Tags or Vehicle Manuals

ULB-2

&

ULB-3



ULB-3

ULB-2

Part No.	Description
ULB-2	Permit Holder A5 Size with Side Zipper - Single Pack
ULB-3	Permit Holder A4 Size with Velcro Top Close - Single Pack

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Group Lock Box - The Ultimate - with Wide Range of Features

- Can be wall or bench mounted - or portable - includes carry handle
- Made from sturdy moulded Plastics
- Spark Resistant - Light Weight - only 600gsm
- With Clear front - keys can be viewed inside
- or in Yellow or Red only - GLB-3 - No Clear front
- 6 hooks included inside for large qty. keys to hang
- Accommodates up to 16 padlocks up to 9 mm shackle
- Key Slot included for use after box closure
- Available in Yellow or Red Colours
- Dimension only: 200 x 150 x 90 mm excluding carry handle
- Please contact CIRLOCK for optional A4 Permit/Instruction Holder with GLB-2/3 - or use ULB-1, ULB-2 or ULB-3, see below.

GLB-2 & GLB-3

GLB-2-YLW



Part No.	Description
GLB-2-YLW	Group Lock Box Yellow with Clear front - Single Pack
GLB-2-RED	Group Lock Box Red with Clear Front - Single Pack
GLB-3-YLW	Group Lock Box ALL Yellow - NO Clear Front - Single Pack
GLB-3-RED	Group Lock Box ALL Red - NO Clear Front - Single Pack



GLB-2-RED



GLB-3-RED



GLB-3-YLW



6 Hooks inside for keys



**WHAT A FEELING -
The Unbreakable
Group Lock Box**



Convenient Carry Handle

General Applications: Main energy source(s) is locked out, key(s) is placed inside box, all workers place individual locks on box. Ensures lockout of energy sources on larger projects until all workers remove locks.

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Lockout Padlocks Economy Series


Safety Lockout Padlock - Keyed Differently Only - Coloured

- 30mm Brass Padlock with Coloured Plastic Sleeves
- 50mm long Hardened Steel Shackle
- Choose between 8 different Colours
- ONLY available as KEYED DIFFERENTLY
- One Key per lock supplied as standard - 2 can be supplied on request
- Light Weight - only 95gsm - 'Danger Do Not Remove' label included
- Can be supplied with Logo or Name - see below
- **NOTE: Due to limited lock combinations available we do not recommend this lock for larger projects / quantities. Duplications may occur. SLP-450 Series is recommended - page 13.**

SLP-150 series



Part No.	Description
SLP-150-BLK	Economy Padlock BLACK - Keyed Differently - Single Pack
SLP-150-BLU	Economy Padlock BLUE - Keyed Differently - Single Pack
SLP-150-GRN	Economy Padlock GREEN - Keyed Differently - Single Pack
SLP-150-ORJ	Economy Padlock ORANGE - Keyed Differently - Single Pack
SLP-150-PRP	Economy Padlock PURPLE - Keyed Differently - Single Pack
SLP-150-RED	Economy Padlock RED - Keyed Differently - Single Pack
SLP-150-YLW	Economy Padlock YELLOW - Keyed Differently - Single Pack
SLP-150-WHI	Economy Padlock WHITE - Keyed Differently - Single Pack



Safety Lockout Padlock - As Above - With Name / Logo

- Advise Name / Logo
- Short delivery times

Part No.	Description
SLP-150-BLK-NL	Economy Padlock BLACK - Advise Name / Logo - Single Pack
SLP-150-BLU-NL	Economy Padlock BLUE - Advise Name / Logo - Single Pack
SLP-150-GRN-NL	Economy Padlock GREEN - Advise Name / Logo - Single Pack
SLP-150-ORJ-NL	Economy Padlock ORANGE - Advise Name / Logo - Single Pack
SLP-150-PRP-NL	Economy Padlock PURPLE - Advise Name / Logo - Single Pack
SLP-150-RED-NL	Economy Padlock RED - Advise Name / Logo - Single Pack
SLP-150-YLW-NL	Economy Padlock YELLOW - Advise Name / Logo - Single Pack
SLP-150-WHI-NL	Economy Padlock WHITE - Advise Name / Logo - Single Pack



Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Safety Lockout Padlocks with Plastic Housing and Stainless Steel Shackle

Safety Lockout Padlock - Plastic Coloured Housing

- 40mm Plastic/Stainless Steel Padlock with Colour Coding
- 50mm long x 5mm Stainless Steel Shackle
- Choose between 5 different Colours
- One Key per lock supplied as standard
- Light Weight - only 95gsm
- Can be supplied with Logo or Name label
- Available Keyed Different, Alike or Master Keyed
- Key retaining - ensures padlocks are not left unlocked
- High Security - 6 pin cylinder - large no's of combinations
- Includes Danger Label and Write On label for customising
- Corrosion and chemical resistant - suitable for use in harsh environment
- Size: Body 39mm x 19mm x 44mm - Shackle 5mm thick 50mm long

SLP-450 series



Part No.	Description
SLP-450-RED	RED Lockout Padlock Plastic Housing SS Shackle - Keyed Different - Single Pack
SLP-450-BLU	BLUE Lockout Padlock Plastic Housing SS Shackle - Keyed Different - Single Pack
SLP-450-GRN	GREEN Lockout Padlock Plastic Housing SS Shackle - Keyed Different - Single Pack
SLP-450-ORJ	ORANGE Lockout Padlock Plastic Housing SS Shackle - Keyed Different - Single Pack
SLP-450-YLW	YELLOW Lockout Padlock Plastic Housing SS Shackle - Keyed Different - Single Pack
SLP-450-RED-KA	RED Lockout Padlock Plastic Housing SS Shackle - Keyed Alike - Single Pack
SLP-450-BLU-KA	BLUE Lockout Padlock Plastic Housing SS Shackle - Keyed Alike - Single Pack
SLP-450-GRN-KA	GREEN Lockout Padlock Plastic Housing SS Shackle - Keyed Alike - Single Pack
SLP-450-ORJ-KA	ORANGE Lockout Padlock Plastic Housing SS Shackle - Keyed Alike - Single Pack
SLP-450-YLW-KA	YELLOW Lockout Padlock Plastic Housing SS Shackle - Keyed Alike - Single Pack



Custom-made labels also available



CUSTOM MADE LABELS ALSO AVAILABLE -
Contact sales@cirlock.com.au for more information.

Keyed Alike Padlocks - Sets of 3, 4, 6 or 10

- Sets of 3, 4, 6 or 10 Keyed Alike Padlocks - SLP-450 series
- Includes 1 key per lock as standard
- Available in Red ex stock, other colours available upon request
- Colours available - Red, Yellow, Blue, Green and Orange

SLP-KA



Part No.	Description
SLP-3KA-XXX	Set of 3 Padlocks Keyed Alike
SLP-4KA-XXX	Set of 4 Padlocks Keyed Alike
SLP-6KA-XXX	Set of 6 Padlocks Keyed Alike
SLP-10KA-XXX	Set of 10 Padlocks Keyed Alike


Masterkey Padlock System Kit


- Startup Kit - contains 80 Padlocks
- Up to 100 combinations available for this system - as below only 30 used
- All padlocks are CIRLOCK SLP-450 series - Stainless Steel Shackle 50mm x 5mm Heavy Duty Plastic Housing with Brass Cylinder


CMK

CUSTOM-MADE SYSTEMS WITH MASTERKEYS ALSO AVAILABLE UPON REQUEST

Part No.	Description
CMK	Masterkey Padlock System



 Additional Padlocks Available. Delivery times apply for additional padlocks

 Additional copies of Masterkey available. Each padlock supplied with 1 key as standard - Additional keys available upon request.



Brass Lockout Padlock - 30mm housing - 50mm Shackle

- Hardened Steel Shackle - 5mm thick x 50mm long
- Only available as Keyed Differently
- One key supplied as standard - 2 can be supplied on request
- **NOTE: Limited lock combinations available. Duplication may occur when used in large quantities.**

SLP-120-50



Part No.	Description
SLP-120-50	Economy Brass Padlock - Keyed Differently - Single Pack



**JUST
CIR-LOCK
IT!!**

Do it yourself Name Label - Danger Do Not Remove

- Personalize your padlock
- Simple to apply
- Fits SLP-120-50 Padlocks

LAB-1


Part No.	Description
LABEL	Do it yourself Name Label - Pack of 10



Belt Carry Bag with 3 Keyed Alike Padlocks

- Handy Belt Bag for carrying Lockout Padlocks
- Size: 120x80x35mm with Velcro Close and inside pocket
- Supplied with 3 Padlocks - SLP-450-RED- KA
- Includes inside pocket for Danger Tags and/or Hasp
- Retractable fixed Key Holder ensures key are not lost
- LCB-3 can also be used as bag for small Lockout Kit

LCB-4



Part No.	Description
LCB-4	Belt Bag with 3 Keyed Alike SLP-450 Padlocks and Keyholder KHR-2 - Single Pack

KHR-1	Retractable Key Holder - Plastic Housing - Economical
-------	---

KHR-2	Retractable Key Holder - Stainless Steel Housing - Heavy Duty
-------	---



KHR-2 - key not included

Lockout Kits - Standard - SMALL

- 1 x LCB-2 Carry Bag
- 2 x UCL-1 Universal Lockouts for Miniature CB's
- 2 x UCL-2 Universal Lockouts for Moulded Case CB's
- 1 x UFL-2 Universal Lockout for Fuse Holders
- 2 x SYT-1 Personal Safety Tags
- 1 x SLP-150-RED Padlock
- 1 x Small Screwdriver

PLK-1



Lockout Kits - Standard - MEDIUM

- 1 x LCB-2 Carry Bag
- 2 x UCL-1 Universal Lockouts for Miniature CB's
- 2 x UCL-2 Universal Lockouts for Moulded Case CB's
- 1 x UCL-2-EL Lockout for CB's / RCD's with Short Toggle
- 2 x UFL-2 Universal Lockout for Fuse Holders
- 1 x SLH-30 Lockout Hasp
- 1 x PLD-1 Plug & Hose Lockout Bag
- 1 x MFL-2 Multifunction Cable Lockout with 1 m Steel Cable
- 2 x SLP-150-RED Padlock
- 10 x SDT-1 Danger Tags
- 5 x SDT-2 Out Of Service Tags
- Pen, Screwdriver and Cableties

PLK-2



Lockout Kits - Standard - LARGE

- 1 x LCB-2 Carry Bag
- 2 x UCL-1 Universal Lockouts for Miniature CB's
- 2 x UCL-2 Universal Lockouts for Moulded Case CB's
- 1 x UCL-2-EL Lockout for CB's / RCD's with Short Toggle
- 1 x UCL-5 Lockout for Larger Types Moulded Case CB's
- 2 x UFL-2 Universal Lockout for Fuse Holders
- 1 x PLD-1 Plug & Hose Lockout Bag
- 1 x PLD-2 Large Plug Lockout Bag (3 phase)
- 1 x MFL-2 Multifunction Cable Lockout with 1 m Steel Cable
- 1 x SLH-30 Lockout Hasp
- 4 x SLP-150-RED Padlock
- 10 x SDT-1 Danger Tags
- 5 x SDT-2 Out Of Service Tags
- Pen, Screwdriver and Cableties

PLK-3



Part No.	Description
PLK-1	Lockout Kit - Standard - Small - Single Pack
PLK-2	Lockout Kit - Standard - Medium - Single Pack
PLK-3	Lockout Kit - Standard - Large - Single Pack

Custom Made Kits available on request

Lockout Carry Bags

- Carry Bag with Zipper and Belthook
- Carry personal lockout devices, locks and tags in one bag
- Bag Size: L 250 x w 140 x H 200 mm
- Can be supplied also with name embroidered - Advise Name

LCB-2



Lockout Belt Bag

- Carry Bag with Belt Strap and Velcro Close - Internal Pocket
- Carry personal lockout devices and locks on your belt
- Bag Size: 110 x 80 x 35 mm
- See also Page 14 for LCB-4 with Padlocks included.

LCB-3



Part No.	Description
LCB-2	Lockout Carry Bag with Zipper & Belthook - Single Pack
LCB-2-N	Lockout Carry Bag with Name Embroidered - Advise Name
LCB-3	Belt Bag for Lockouts and Padlocks - Single Pack

Contractors Lockout Kit - Electrical - Standard Size

- 1 x LCB-2 Carry Bag
- 2 x UCL-1 Universal Lockout for Miniature CB's
- 1 x UCL-2 Universal Lockout for Moulded Case CB's
- 1 x UFL-2 Universal Lockout for Fuse Holder
- 1 x MFL-2 Multifunction Cable Lockout with 1 m steel cable
- 1 x SLH-30 Lockout Hasp
- 1 x SLP-150-RED Padlock
- 4 x SDT-1 Danger Tags
- 2 x SDT-2 Out of Service Tags
- Pen, Screwdriver and Cableties

CLK-1



Contractors Lockout Kit - Electrical - Large Size

- 1 x LCB-2 Carry Bag
- 4 x UCL-1 Universal Lockout for Miniature CB's
- 2 x UCL-2 Universal Lockout for Moulded Case CB's
- 1 x UCL-2-EL Lockout for CB's / RCD's with Short Toggle
- 1 x UCL-5 Lockout for Large Type Moulded Case CB's
- 2 x UFL-2 Universal Lockout for Fuse Holder
- 1 x MFL-2 Multifunction Cable Lockout with 1 m steel cable
- 1 x PLD-1 Plug and Hose Lockout Bag
- 1 x SLH-30 Lockout Hasp
- 3 x SLP-150-RED Padlock
- 10 x SDT-1 Danger Tags
- 5 x SDT-2 Out of Service Tags
- Pen, Screwdriver and Cableties

CLK-2



Contractors Lockout Kit - Mechanical - Standard Size

- 1 x LCB-2 Carry Bag
- 1 x BVL-1 Ball Valve Lockout
- 1 x GVL-1 Gate Valve Lockout
- 1 x PLD-1 Plug & Hose Lockout Bag
- 1 x MFL-2 Multifunction Cable Lockout with 1 m steel cable
- 1 x SLH-30 Lockout Hasp
- 2 x SLP-150-RED Padlock
- 10 x SDT-1 Danger Tags
- 5 x SDT-2 Out of Service Tags

CLK-3



Contractors Lockout Kit - Combination Valves / Electrical

- 1 x LCB-2 Carry Bag
- 2 x UCL-1 Universal Lockout for Miniature CB's
- 2 x UCL-2 Universal Lockout for Moulded Case CB's
- 1 x UCL-2-EL Lockout for CB's / RCD's with Short Toggle
- 1 x UCL-5 Lockout for Large Type Moulded Case CB's
- 2 x UFL-2 Universal Lockout for Fuse Holder
- 1 x MFL-2 Multifunction Cable Lockout with 1 m steel cable
- 1 x PLD-1 Plug and Hose Lockout Bag
- 1 x BVL-1 Ball Valve Lockout
- 1 x GVL-1 Gate Valve Lockout
- 1 x SLH-30 Lockout Hasp
- 4 x SLP-150-RED Padlock
- 10 x SDT-1 Danger Tags
- 5 x SDT-2 Out of Service Tags
- Pen, Screwdriver and Cableties

CLK-4



Contractors Lockout Kits have been put together especially for Commercial Trades People and Contractors working on various sites. The different Kit sizes will enable the worker to Lock Out / Tag Out most common energy sources - Electrical as well as Gasses and High Pressure.

Part No.	Description
CLK-1	Contractors Lockout Kit - Standard Size - Single Pack
CLK-2	Contractors Lockout Kit - Large Size - Single Pack
CLK-3	Contractors Lockout Kit - Mechanical - Single Pack
CLK-4	Contractos Combination Kit - Valves / Electrical - Single Pack

Custom Made Kits available on request

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Lockout Station - Basic - 5 Padlocks

- Basic Lockout Station contains:
- 5 x Lockout Padlocks
- 10 x SDT-1 Do Not Operate Tags
- 5 x SDT-2 Out Of Service Tags
- 1 x SLH-30 Lockout Hasp
- Dimensions: 300 x 400 mm
- Also available as a Base Only - No Parts included - **LST-BASE1**

LST-1



Lockout Station - Medium Size - 10 Padlocks

- Basic Lockout Station contains:
- 10 x Lockout Padlocks
- 25 x SDT-1 Do Not Operate Tags
- 25 x SDT-2 Out Of Service Tags
- 2 x SLH-30 Lockout Hasp
- 2 x UCL-1 Universal Lockout for Miniature Circuit Breaker
- 2 x UCL-2 Universal Lockout for Moulded Circuit Breaker
- 2 x UFL-2 Universal Lockout for Fuse Holder
- 1 x UCL-2-EL Lockout Device for short toggle Circuit Breaker
- 1 x MFL-2 Multifunction Cable Lockout Device
- 1 x PLD-1 Plug and Air Hose Lockout Device
- Dimensions: 300 x 500 mm
- Also available as a Base Only - No Parts included - **LST-BASE2**

LST-2



Lockout Station - Medium Size - 20 Padlocks

- Basic Lockout Station contains:
- 20 x Lockout Padlocks
- 25 x SDT-1 Do Not Operate Tags
- 25 x SDT-2 Out Of Service Tags
- 3 x SLH-30 Lockout Hasp
- 3 x UCL-1 Universal Lockout for Miniature Circuit Breaker
- 3 x UCL-2 Universal Lockout for Moulded Circuit Breaker
- 3 x UFL-2 Universal Lockout for Fuse Holder
- 1 x UCL-2-EL Lockout Device for short toggle Circuit Breaker
- 1 x UCL-5 Lockout Device for Large Circuit Breaker
- 1 x MFL-2 Multifunction Cable Lockout Device
- 1 x PLD-1 Plug and Air Hose Lockout Device
- Dimensions: 400 x 500 mm
- Also available as a Base Only - No Parts included - **LST-BASE3**

LST-3



Part No.	Description
LST-1	Lockout Station - Basic Size - 5 x SLP-150-RED Padlocks
LST-2	Lockout Station - Medium Size - 10 x SLP-150-RED Padlocks
LST-3	Lockout Station - Large Size - 20 x SLP-150-RED Padlocks
LST-1-450	Lockout Station - Basic Size - 5 x SLP-450-RED Padlocks
LST-2-450	Lockout Station - Medium Size - 10 x SLP-450-RED Padlocks
LST-3-450	Lockout Station - Large Size - 20 x SLP-450-RED Padlocks
LST-BASE1	Base Only for Small Size Lockout Station - Single Pack
LST-BASE2	Base Only for Medium Size Lockout Station - Single Pack
LST-BASE3	Base Only for Large Size Lockout Station - Single Pack

Can also be supplied with the SLP-450 range of padlocks



SLP-450-RED

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Lockout Station - Medium with Valve Lockouts - 10 Padlocks

- LST-4 Lockout Station contains:
- 10 x Lockout Padlocks
- 25 x SDT-1 Do Not Operate Tags
- 25 x SDT-2 Out Of Service Tags
- 2 x SLH-30 Lockout Hasp
- 2 x UCL-1 Universal Lockout for Miniature Circuit Breaker
- 2 x UCL-2 Universal Lockout for Moulded Case Circuit Breaker
- 2 x UFL-2 Universal Lockout for Fuse Holder
- 1 x UCL-2-EL Lockout Device for Short Toggle Circuit Breaker
- 1 xGVL-1 Gate Valve Lockout Adjustable up to 160 mm
- 1 x BVL-1 Ball Valve Lockout 19 - 32 mm
- 1 x MFL-2 Multifunction Cable Lockout Device
- 1 x PLD-1 Plug and Air Hose Lockout Device
- Dimensions: 300 x 500 mm NOTE: Design and size will change during 2008
- Also available as a Base Only - No Parts included - **LST-BASE4**

LST-4**Lockout Station - Large with Valve Lockouts - 20 Padlocks**

- LST-5 Lockout Station contains:
- 20 x Lockout Padlocks
- 25 x SDT-1 Do Not Operate Tags
- 25 x SDT-2 Out Of Service Tags
- 3 x SLH-30 Lockout Hasp
- 3 x UCL-1 Universal Lockout for Miniature Circuit Breaker
- 3 x UCL-2 Universal Lockout for Moulded Circuit Breaker
- 3 x UFL-2 Universal Lockout for Fuse Holder
- 1 x UCL-2-EL Lockout Device for short toggle Circuit Breaker
- 1 x UCL-5 Lockout Device for Large Circuit Breaker
- 1 x MFL-2 Multifunction Cable Lockout Device
- 1 x PLD-1 Plug and Air Hose Lockout Device
- 1 x PLD-2 Large Plug Lockout Device
- 1 x GVL-1 Gate Valve Lockout Adjustable up to 160 mm
- 2 x BVL-1 Ball Valve Lockout 19 - 32mm
- Dimensions: 400 x 500 mm NOTE: Design and size will change during 2008
- Also available as a Base Only - No Parts included - **LST-BASE5**

LST-5

Part No.	Description
LST-4	Lockout Station -Medium w. Valve Lockouts - 10 Locks - Single Pack
LST-5	Lockout Station - Large w. Valve Lockouts - 20 Padlocks - Single Pack
LST-4-450	Lockout Station - Medium w. Valve Lockout and 10 SLP-450 Padlocks
LST-5-450	Lockout Station - Large w. Valve Lockout and 20 SLP-450 Padlocks
LST-BASE4	Base Only for Medium Size Lockout Station - Single Pack
LST-BASE5	Base Only for Large Size Lockout Station - Single Pack

For Dust- and Spray Enclosures for Lockout Station:

Please enquire at CIRLOCK

Ph: 07-54452910

Email: sales@cirlock.com.au

Contact us for all your Lockout Requirements

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

CIRLOCK System

Lockout Devices for Circuit Breakers
Permanently fixed to Distribution Boards



Unique System. Made in Australia since 1992. Available for most Types of Circuit Breakers.

The CIRLOCK System basically consists of two parts:



Lockout Arm's



Mounting Set



CIRLOCK System

These must be ordered separately and to fit the brand, type and numbers of circuit breakers.

EASY ORDERING:

Email us a photo (or a sketch) of the Distr. Board, and we will return details and prices on what is needed.

INSTALLATION: The CIRLOCK System is permanently attached to the circuit breakers escutcheon plate, and is always ready for use when locking out is required. A Mounting Set is to be attached to the circuit breakers escutcheon plate with screws or rivets - Lockout Arms, one per circuit breaker, are inserted in slots in Mounting Sets during installation or later.

Lockout Devices for Individually Mounted Circuit Breakers



SPLD-M1-GREY



SPLD-3-GREY



Various SALD- Types

For individual mounted Circuit Breakers the complete Lockout Devices SALD- Types can be used - One complete Lockout Device for one CB per pack. Available for a wide range and sizes of CB's. See Catalogue page 24 for details.

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

APPLICATION

The CIRLOCK System is a unique system of Lockout Devices for circuit breakers, which can, when properly installed and used, help to prevent unintended energization of electrical circuits.

The system consist of basically two parts

A **MOUNTING SET** to be attached to the circuitbreakers escutcheon plate, normally in full lenght of the cut-out made for C/B's. A slot and hole are then available for each 'pole' on the board. A number of **LOCKOUT ARMS**, one for each circuit breaker, are then inserted in the slots in Mounting Sets during installation, or later.

Because variuos brands of circuit breakers have different pole widhts and sizes, Mounting Set and Lockout Arm must be ordered to fit the brand and type of circuit breakers in use. See pages 22 & 23 for details.

ORDERING EXAMPLE

Lockout Devices for a 24 pole (2x12 pole) distribution board for miniature (18mm) circuit breakers, fitted with 13 Terasaki DIN-T circuit breakers, a mix of 3- pole and 1- pole.


ORDER: 2 only Mounting Sets Type MAM-12 and 13 Lockout Arms Type ALA-M-1. Lockout Arms can also be installed for 'Spare' poles now or later.

See pages 22 & 23 on part numbers to fit types of circuitbreakers.

MATERIAL


The CIRLOCK System is made from Clear Anodised Aluminium, Plastic Brackets and Coated Steel Hinge Rods.

DIMENSIONS



'A' mm	Lockout Arm Type
65	ALA-M-1 to 8
70	ALA-T-1 & 2
115	ALA-T-3, ALA-W-3 & 4
78	ALA-H-1,2,3 & 4
123	ALA-H-5
88	ALA-Q-4 & 5

- Highest point over Distr. Boards escutcheon plate - without use of spacers: **20mm**
- Spacers - if used - are **3mm** thick each
- Holes provided for fastening are **4.2mm** - supplied screws and nuts are size M3.
- Holes for Padlocks are standard **7mm**. Larger holes (max 9mm) can be provided on request.



Mounting Sets

available from 3 to 72 poles - for most brands of Circuit Breakers.

Lockout Arms

for Miniature CB's and Moulded Case CB's

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

CIRLOCK System MOUNTING SET For row mounted Circuit Breakers



MAM-15 Mounting Set



MAH-6 Mounting Set

--To suit Brand of CB's. --

Type

Heinemann CF Series 26.4mm pole width	MAH-x x = No. of poles
Heinemann GH Series 35.25mm pole width	MAGH-x x = No. of poles
Miniature Types for DIN-Rail 18mm pole width For Plastic DB's see below for UMAP- Universal Types Mounting Sets	MAM-x x = No. of poles
9mm Pole Width - 1/2 Module Miniature Type + 27mm wide CB's Where 1/2 module auxiliary contacts are mounted, and for use with 15kA (27mm) CB's.	MAMM-x x = No. of poles
Terasaki SAFE-T Series (NOT DIN-T) Mitsubishi BHA 6kA Series and others with 25mm pole width	MAT-x x = No. of poles
Terasaki Tembreak XS125/XH125 & Tembreak 2 S125 (up to 65kA) LG GBH/GBN 100 Series and others with 30mm pole width	MAX-x x = No. of poles
Quicklag Series General Electric TQ/THQ Series and others with 25.5mm pole width	MAQ-x x = No. of poles
Westinghouse FB/F Frame Series Cutler-Hammer F/FW/Fi/Ji Series Terasaki Tembreak 160/250Amp series LG GBH/GBN 250 Series Merlin Gerin NS100/NS160/NS250 Series and others with 35mm pole width	MAW-x x = No. of poles
Westinghouse E-Frame (Older Type) and others with 38mm pole width	MAE-x x = No. of poles
Plastic Distribution Boards for Miniature CB's - See photo page 25 Universal Mounting Set for (Most) Types Plastic Distr. Boards with various shapes.	UMAP-x x = No. of poles
1.2 metre Mounting Set Pack (1200 mm) Mounting Set to cut to size - comes with: 1.2 metre rails / rod, 8 end bracket EBA-2, 4 support bracket SUBA-3, and screws and nuts	Specify Type as per above - i.e.: MAM-1200 MAH-1200 etc. etc.

Ordering Examples:

For 1 row of 15 Heinemann CF single pole CB's - order: 1 only MAH-15 Mounting Set.

For 24 pole DB with 2 rows of 12 single pole Miniature CB's - order: 2 only MAM-12 Mounting Sets.

Lockout Arms must be ordered separately. See page over.

MAMM- Mounting Sets:

MAMM's are same size as MAM-'s (i.e. an MAMM-12 are same length as MAM-12), but have provision for a Lockout Arm for every 9 mm (module 18 mm) in its full length. Are to be used where there are 1/2 module (Aux. contacts or similar) mounted with CB's, or for 27 mm wide modules (15 kA CB's).

EXAMPLE:

MAMM-24 is for 24 single poles of 18 mm wide modules.

To use MAMM for 27 mm wide CB's:

A 27 mm module is 1.5 times 18 mm. Convert Number of 27 mm poles into 18 mm poles, i.e. 24 poles of 27 mm is 36 poles of 18 mm. For one row of 24 single poles of 27 mm CB's, a MAMM-36 Mounting Set is needed.

If in doubt call 07-54452910 and ask for technical support. We will be happy to help.



UMAP-12 Mounting Set for Plastic DB. (More photos page 25)



MAMM-24 with Lockout Arm provision for every 9 mm.

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

CIRLOCK System LOCKOUT ARM'S - To be used with Mounting Set

-- To suit Circuit Breaker Type --

Part No.

Terasaki DIN-T MCB / Wynckier/GEC DIN MCB / Martec/Hager NS, NT, NM, NC, ND + CD & AD E/LCB / ABB / BBC / STOTZ / Nilsen S230, 250, 270 series / Clipsal 4SW- / Lanson Series / Clipsal Powerrange 6-25kA / Moeller FAZ series / CutlerHammer WMM series / HPM H3, H6 series HPM 6XELrzd - AND SIMILAR SHAPED CB's	ALA-M-1
Merlin Gerin MULTI-9 series / HPM H- series / LG Miniature series	ALA-M-2
Clipsal TERRACOTTA 4CB + EL + 4EBE series WeberAS 168 series Wilco MCB3, MCB4, MCB6 & RCD series	ALA-M-3
Siemens 5SN & 5TE series / Weber AS153 / HPM Main SW. DIN series	ALA-M-4
Siemens 5SX2- series	ALA-M-5
Terasaki (OLDER STYLE only) Single Pole DRCB DinSafe Allan Bradley 1492.SP series	ALA-M-6
Terasaki DIN-T 10H series 10kA 80-125A - similar with large toggle	ALA-M-8
Terasaki SAFE-T CB & EL - TZ50S/- series & TH-5SG NOTE: Single pole SRCB see ALA-T-2	ALA-T-1
Terasaki Single Pole SAFE-T SRCB combi RCD/CB	ALA-T-2
Terasaki XS125/250, XH125/250 TEMBREAK 2 up to 250A LG-MEC GBH / GBN 100A / Merlin Gerin NS 100/250	ALA-T-3
Heinemann CF C/B series & SF / SM EL	ALA-H-1
Heinemann (Heinelec) CF1-EL & CF1-ELA combi RCD/CB Mitsubishi BHA 6kA series General Electric Q-Line, TQL, TQB, TQC, THQL & others	ALA-H-2
Heinemann Protector E/L Type SL (Older Type)	ALA-H-3
Heinemann GH series CB's	ALA-H-4
Heinemann CP-1 CB's (Older Types)	ALA-H-5
Moeller PA series when used with Heinemann CF Type CB's	ALA-H-6
Quciklag Duplex Type - This item only made on request	ALA-Q-3
Quicklag Q series CB's (Also N-28 etc..)	ALA-Q-4
Quicklag RCD-CB's E/L -ELQ series	ALA-Q-5
Westinghouse HFB/FB Frame series Cutler-Hammer FW, FI / LG MEC GBH 250A Mitsubishi NF100/NF250	ALA-W-3
Westinghouse E-Frame series (Older Type)	ALA-W-4



ALA-M-1

ALA-M-2

ALA-M-3

ALA-M-4

ALA-M-5

ALA-M-6

ALA-M-8



ALA-T-1

ALA-T-2

ALA-H-1

ALA-H-2

ALA-H-3

ALA-H-4

ALA-H-5

ALA-H-6

ALA-Q-3

ALA-Q-4

ALA-Q-5

ALA-T-3

ALA-W-3

ALA-W-4

One Lockout Arm is needed for each Circuit Breaker, whether it is a 1, 2, 3 or 4 pole CB. 'Spare' Lockout Arms can be installed in Mounting Sets during initial installation or at a later date.

Lockout Arms listed above covers most Types of CB's - and special Lockout Arms can be made on request and if necessary.

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

CIRLOCK System

Complete Lockout Devices for Individually Mounted Circuit Breakers

-- To suit Circuit Breaker Type --

Part No.



SPLD-M1-YLW



SPLD-3-GREY

NEW
Moulded
Plastic
SPLD's
made from
Reinforced
Nylon

Replaces many types of SALD's



Various SALD- Types



SALD-R-2



SALD-R-3



SALD-R-4




SALD-R-5

Terasaki DIN-T MCB / Wynckier/GEC DIN MCB / Martec/Hager NS, NT, NM, NC, ND + CD & AD E/LCB / ABB / BBC / STOTZ / Nilsen S230, 250, 270 series / Clipsal 4SW- / Lanson Series / Clipsal Powerrange 6-25kA / Moeller FAZ series / CutlerHammer WMM series / HPM H3, H6 series HPM 6XELrcd - AND SIMILAR SHAPED CB's	SPLD-M1
Merlin Gerin MULTI-9 series / HPM H- series / LG Miniature series	SPLD-M2
Clipsal TERRACOTTA 4CB + EL + 4EBE series WeberAS 168 series Wilco MCB3, MCB4, MCB6 & RCD series	SPLD-M1
Siemens 5SN & 5TE series / Weber AS153 / HPM Main SW. DIN series	SALD-M-4
Siemens 5SX2- series	SALD-M-5
Terasaki (OLDER STYLE only) Single Pole DRCB DinSafe Allan Bradley 1492.SP series	SPLD-M2
Terasaki DIN-T 10H series 10kA 80-125A - similar with large toggle	SPLD-M1
Terasaki SAFE-T CB & EL - TZ50S/- series & TH-5SG NOTE: Single pole SRCB see ALA-T-2	SPLD-2
Terasaki Single Pole SAFE-T SRCB combi RCD/CB	SPLD-2
Terasaki XS125/250, XH125/250 TEMBREAK 2 up to 250A LG-MEC GBH / GBN 100A / Merlin Gerin NS 100/250	SPLD-1
Heinemann CF C/B series & SF / SM EL	SPLD-2
Heinemann (Heinelec) CF1-EL & CF1-ELA combi RCD/CB Mitsubishi BHA 6kA series General Electric Q-Line, TQL, TQB, TQC, THQL & others	SPLD-2
Heinemann Protector E/L Type SL (Older Type)	SPLD-2
Heinemann GH series CB's	SALD-H-4
Heinemann CP-1 CB's (Older Types)	SPLD-1
Quicklag Q series CB's (Also N-28 etc..)	SPLD-2
Quicklag RCD-CB's E/L -ELQ series	SPLD-1
Westinghouse E-Frame series (Older Type)	SPLD-1
Westinghouse HFB/FB Frame series Cutler-Hammer FW, FI / LG MEC GBH 250A Mitsubishi NF100/NF250	SPLD-1
UNIVERSAL TYPES for Medium / Larger / Twist Handle and other Types	
Ampere sizes are a guide only - Physical size of CB to match	
Up to 250Amp. Toggle CB (approx) can be used on many of above	SPLD-1
Up to 600Amp. Toggle CB (approx)	SALD-B-2
Up to 1600Amp. Toggle CB (approx)	SALD-B-3
Rotary Handle Type Switch - medium size up to approx 400A	SALD-R-2
Larger Twist Handle Switches - Blocking Device	SALD-R-3
Smaller Twist Handle Switches	SALD-R-4
Single Part Toggle Blocking Device	SALD-R-5
HAGER H250 Series	SALD-C-1
HAGER HN302 Series	SALD-C-2

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

CIRLOCK System Spare / Auxiliary Parts




SPA-18

Spacer for End Brackets and Support Brackets. Size 12x18x3mm. Aluminium.



ROD-x

Rod for Mounting Set. Inform length 'X' in mm - max length available is 1200mm. 4mm Galvanised Steel.



SPA-31

Spacer for SALD- Types. Size 12x30x3mm. Aluminium.



FLB23-300

FLB23-600

Spacer Flatbar to use under full length of Mounting Sets, only when a build up of more than 2 SPA-18 is needed. Size: 20x3mm - 300 & 600 mm long. Aluminium.



EBA-2

End Bracket for Mounting Set. Plastic with M3 Brass insert.



SUBA-3

Support Bracket for Mounting Set. Plastic with M3 Brass insert.



SCHP-412

Plastic (Nylon) Screws M4x12mm. Pack of 10.

SCHP-420

Plastic (Nylon) Screws M4x20. Pack of 10.



PLBA-1

Padlock Bracket for SALD- Types. Size 12x30x20mm. 7mm Padlock Hole.

SNUP-M4

Plastic (Nylon) Nuts M4. Pack of 10.

RIVETA-43

Blind (POP) Rivets Aluminium. Pack of 10.

CIRLOCK System Miscellaneous / Plastic Distr. Boards



UMAP-8 with ALA-M-3 Lockout Arms on Plastic DB.

UMAP- Type Universal Mounting Set for various Plastic Distr. Boards.

The UMAP- Type of Mounting Sets can be used on most Plastic Type Distr. Boards, with various recessed areas.

Standard Lockout Arms to be used.



CIRLOCK System Circuit Breakers without Cover Plate



Installation of CIRLOCK System Lockout Devices where no cover plate is available:

A range of C/B Covers are available for this purpose, and are shown on page 33 of this Catalogue.



Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

FUSELOCK System

Lockout Devices for Fuse Holders

Unique Design - Available for a range of Fuse Holders

The **FUSELOCK System** basically consist of two parts:



+



=



Lockout Base

Four different basic shapes/ types available. To be permanently attached to the fuse holder.

Lockout Arm

To be inserted when locking out is required. The 2 sizes available locks most types/sizes fuse holders.

These must be ordered separately and to fit type and size of fuse holder. Catalogue page 27 shows available types.



FUSELOCK System is available for a wide range of fuse holders.



Storage Brackets for LFA-1 & 2 when not in use. Can be mounted inside panels. Will hold either 7 LFA-1 or 3 LFA-2.

Part No.: **LSB-1**

APPLICATION:

The **FUSELOCK System** is a unique system of Lockout Devices for Fuse Holders, that can, when properly installed and used, help to prevent un-intended insertion of fuse links in fuse holders. The system consist of basically two parts:

A **LOCKOUT BASE** to be permanently attached to the fuse holder. There are four basic different types - see below for details - and a **LOCKOUT ARM** to be inserted when locking out is required.


The parts are manufactured from rigid and expanded PVC Plastic. Padlock holes size are 8 mm.

Lockout Bases - 4 different shapes



Type 'A'

For frontwired type fuse holders. For fastening on the fuse holder with the attached VHB tape. Can be installed while fuse holder is in service.



Type 'B'

For backwired type fuse holders. For fastening on the fuse holder with the attached VHB tape. Can be installed while fuse holder is in service.



Type 'C'

For frontwired type fuse holders. For fastening behind the fuse holder. Wiring must be disconnected during installation.



Type 'D'

For front or back wired type fuse holder. For fastening on fuse holders mounting plate with screws or rivets.



LFA-1

for most fuse holders size 20 - 63 Amp

LFA-2

for most fuse holder size 100 - 400 Amp

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Base Types available to suit Fuse Holder Types

FUSELOCK System



Fuse Holder Brand & Type	'A' Cat. No.	'B' Cat. No.	'C' Cat. No.	'D' Cat. No.	Use Arm Type
REDSPOT RS20 front connection	LRS20-A	N/A	LRS20-C	LRS20-D	LFA-1
REDSPOT RS20 rear connection	LRS20-A	LRS20-B	N/A	LRS20-D	LFA-1
REDSPOT RS32 front connection	LRS32-A	N/A	LRS32-C	LRS32-D	LFA-1
REDSPOT RS32 rear connection	LRS32-A	LRS32-B	N/A	LRS32-D	LFA-1
REDSPOT RS63 front connection	LRS63-A	N/A	LRS63-C	LRS63-D	LFA-1
REDSPOT RS63 rear connection	LRS63-A	LRS63-B	N/A	LRS63-D	LFA-1
REDSPOT RS100 front connection	LRS100-A	N/A	LRS100-C	LRS100-D	LFA-2
REDSPOT RS100 rear connection	LRS100-A	LRS100-B	N/A	LRS100-D	LFA-2
REDSPOT RS200 front connection	LRS200-A	N/A	LRS200-C	LRS200-D	LFA-2
REDSPOT RS200 rear connection	LRS200-A	LRS200-B	N/A	LRS200-D	LFA-2
REDSPOT RS400 front connection	LRS400-A	N/A	LRS400-C	LRS400-D	LFA-2
REDSPOT RS400 rear connection	LRS400-A	LRS400-B	N/A	LRS400-D	LFA-2
SAFECLIP SC20 & SC32 front connection	LSC20-A	N/A	N/A	N/A	LFA-1
SAFECLIP SC20 & SC32 rear connection	LSC20-A	LSC20-B	N/A	N/A	LFA-1
PDL Federal FC20 & FC32 front connection	LFC20-A	N/A	LFC20-C	LFB20-D	LFA-1
PDL Federal FC20 & FC32 rear connection	LFC20-A	LFB20-B	N/A	LFB20-D	LFA-1
PDL Federal FB20 & FBS32 front connection	LFB20-A	N/A	LFB20-C	LFB20-D	LFA-1
PDL Federal FB20 & DBS32 rear connection	LFB20-A	LFB20-B	N/A	LFB20-D	LFA-1
PDL Federal FB32 front connection	LFB32-A	N/A	LFB32-C	LFB32-D	LFA-1
PDL Federal FB32 rear connection	LFB32-A	LFB32-B	N/A	LFB32-D	LFA-1
PDL Federal FB63 front connection	LFB63-A	N/A	LFB63-C	LFB63-D	LFA-1
PDL Federal FB63 rear connection	LFB63-A	LFB63-B	N/A	LFB63-D	LFA-1
PDL Federal FB100 front connection	LFB100-A	N/A	LFB100-C	LFB100-D	LFA-2
PDL Federal FB100 rear connection	LFB100-A	LFB100-B	N/A	LFB100-D	LFA-2
PDL Federal FB200 front connection	LFB200-A	N/A	LFB200-C	LFB200-D	LFA-2
PDL Federal FB200 rear connection	LFB200-A	LFB200-B	N/A	LFB200-D	LFA-2
'New Zealand Type' Fuse Holders					
PDL New 720 Series - Nilclip/NC32 front conn	LNC32-A	N/A	LNC32-C	LRS20-D	LFA-1
PDL New 720 Series - Nilclip/NC32 rear conn	LNC32-A	LNC32-B	N/A	LRS20-D	LFA-1
PDL Old 720 Series - 32Amp front connection	LFC20-A	N/A	LFC20-C	LFB20-D	LFA-1
PDL Old 720 Series - 32Amp rear connection	LFC20-A	LFB20-B	N/A	LFB20-D	LFA-1
PDL 750 Series - 63Amp front connection	LFB63-A	N/A	LFB63-C	LFB63-D	LFA-1
PDL 750 Series - 63Amp rear connection	LFB63-A	LFB63-B	N/A	LFB63-D	LFA-1
PDL 760 Series - 100Amp front connection	LFB100-A	N/A	LFB100-C	LFB100-D	LFA-2
PDL 760 Series - 100Amp rear connection	LFB100-A	LFB100-B	N/A	LFB100-D	LFA-2
PDL 770 Series - 200Amp front connection	LFB200-A	N/A	LFB200-C	LFB200-D	LFA-2
PDL 770 Series - 200Amp rear connection	LFB200-A	LFB200-B	N/A	LFB200-D	LFA-2
N/A - Not Applicable / Not Available					

ELCOVER - STAND OFF BRACKETS FOR DIN & G RAIL

- Supports for Terminal Covers and Lockout Covers
- 2 x M4 threaded hole - 65 mm centre / centre
- Made from Aluminium and Plastics
- Dimensions: 80 mm wide - 2 x M4 Mounting Holes
- SOB-2 is adjustable on an angle also

SOB-1
SOB-2
SOB-CB



Part No.	Description
SOB-1	Stand-Off Bracket for G / DIN Rail Height Adjustable 47-67mm
SOB-2	Stand-Off Bracket for direct mounting Height Adjustable 42-72 mm
SOB-CB	Stand-Off Bracket for DIN Rail NOT Adjustable - 53 mm above rail

Clear PVC Cover for Terminals - use with SOB- Brackets

- Clear PVC Cover
- Dimensions: 105 mm wide x 300 mm long
- or 105 mm wide x 600 mm long
- No Mounting Holes - **SOB- Brackets are NOT included**
- Can be easily cut to length

TC105-3
TC105-6



SOB- End Brackets NOT included

Part No.	Description
TC105-3	Terminal Cover Clear PVC: 105mm wide x 300mm long
TC105-6	Terminal Cover Clear PVC: 105mm wide x 600mm long

U - Shaped Clear PVC Covers for Equipment and Terminals

- Clear PVC Cover
- Variuos Dimensions available
- No Mounting Holes - **SOB- Brackets are NOT included**
- Use as cover for various equipment, electrical or other

TCU-



SOB- End Brackets NOT included

Part No.	Description
TCU155-200	Clear U-shape PVC Cover: W 150mm H 50mm L 200mm
TCU155-300	Clear U-shape PVC Cover: W 150mm H 50mm L 300mm
TCU155-400	Clear U-shape PVC Cover: W 150mm H 50mm L 400mm
TCU205-400	Clear U-shape PVC Cover: W 200mm H 50mm L 400mm
TCU305-400	Clear U-shape PVC Cover: W 300mm H 50mm L 400mm

L- Shaped PVC Covers for use with Stand Off Brackets

- White PVC Plastic covers
- Sold in sets of 2
- No Mounting Holes - **SOB- Brackets are NOT included**
- Dimensions: 38mmx25mmx3mm wall thickness

LC3825-



SOB- End Brackets NOT included

Part No.	Description
LC3825-2	Covers - set of 2 - 200mm long - Single Pack
LC3825-4	Covers - set of 2 - 400mm long - Single Pack
LC3825-6	Covers - set of 2 - 600mm long - Single Pack
LC3825-12	Coevrs - set of 2 - 1200mm long - Single Pack

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Covers for Circuit Breakers & Other Module 18/45 Equipment



- Plastic Covers CBC- Types clamp onto DIN-Rail
- Cutouts to suit Standard DIN Rail modules 18 x 45mm
- Made from Grey PVC plastics
- Available in 2, 3 or 4 pole sizes - open at top and bottom
- Can also be supplied or fitted with Cirlock System Lockouts
- Height from DIN Rail to underside Cover: 52mm

CBC-2

CBC-3

CBC-4

Part No.	Description
CBC-2	Cover for 2 pole CB or 2 x 1 pole - size H120xW62mm
CBC-3	Cover for 3 pole CB or 3 x 1 pole - size H120 x W80mm
CBC-4	Cover for 4 pole CB or 4 x 1 pole - size H120 x W98mm
	Supplied With Cirlock Lockouts: Please enquire



Covers for Circuit Breakers & Other Module 18/45 Equipment

- Plastic Covers CBCL- Types clamp onto DIN-Rail - lengths up to 72 poles
- Available in White or Clear PVC plastic
- Will suit all Standard DIN Rail modules 18 x 45mm
- Ordering Codes: CBCL-Number of poles - White or Clear
- Can be supplied or fitted with Cirlock System Lockouts

CBCL-

Part No.	Description
CBCL-X-White	White Cover for CB's - X = insert number of C/B poles - max 72
CBCL-X-Clear	Clear Cover for CB's - X = insert number of C/B poles - max 72
	Supplied with Cirlock System Lockouts : Please enquire



Custom Made Covers can be supplied on request, in large or small quantities - Please supply dimensions and other details for a quotation.

Disclaimer: Our products are not endorsed by any person or company other than Cirlock - Erik Larsen Pty. Ltd. The use of photos does not indicate any relationship with the shown products or any of its suppliers. Prices and designs may be changed anytime without prior notice.

Terms and Conditions of Sale

1. General - These Conditions of Sale apply to the sale of items and equipment included in the current issues of the Erik Larsen Pty. Ltd. t/as Cirlock (the Company) price lists, or where a quotation is made, they shall form part of that quotation. No cancellation of any of these Conditions of Sale shall be binding to the Company, unless assented to by the Company in writing.

2. Acceptance - A quotation is not to be construed as an offer or obligation to sell, and the Company reserves the right to accept or reject any orders received.

The buyer shall be deemed to have accepted the goods to be of the description, quality and quantity ordered, unless particulars of a claim to the contrary are notified to the Company in writing within 14 days after delivery.

3. Prices & Delivery - All prices are in Australian Dollars unless otherwise stated, are subject to change without notice, and all orders are accepted by the Company on the conditions that they will be invoiced at the prices ruling at the date of dispatch. All prices are strictly net unless where otherwise stated.

Goods are sold on a Free on Transport (FOT) basis. Where the purchaser requires freight to be prepaid, all expenses will be to their account at cost.

All prices shown in published catalogues or price lists are recommended selling prices only, and there is no obligation on the part of any reseller to maintain the same prices.

The quotation includes only such goods as specified in it. Goods offered ex stock are subject to prior sale, and delivery time quoted is without engagement.

4. GST - Goods and Services Tax (GST), if applicable, shall be to the Buyers account. When added, GST is based on the rate and method of assessment ruling at the date of invoice.

5. Terms of Payment - Payment for all goods purchased shall be net and be made within the timeframe stated on the Tax Invoice relevant to the purchase. Under no circumstances shall payments be made later than 30 days from the end of the month of the date on the Tax Invoice.

Accounts may be placed on stop supply without notice if payment is not received by the due date.

The Company reserves the right to charge interest on any overdue account.

Payment for any Goods or Service must be received in full, before goods are dispatched, inside or outside Australia, if the buyer is not a registered Company in Australia.

The Company reserves the right to not dispatch any goods before any outstanding payment has been received in full, from any person or company.

6. Return of Goods & Credits - Standard products as listed in the published price lists of the Company, may be returned for credit, provided the goods are returned within 14 days of delivery in an unspoiled, undamaged and resaleable condition, in their original packing, free to the Company's warehouse.

Goods will not be accepted for return after 14 days from date of delivery, unless by prior arrangement, and with the payment of a restocking fee of 15% of original net invoice value.

7. Indemnity - The purchaser must comply with all instructions of the Company in relation to the fitting, installation and use of the goods. Notwithstanding such compliance, the purchaser must keep the Company indemnified against all claims, expenses and liabilities of whatever nature including claims for death, personal injury, damage to property, and consequential loss, including loss of profit, which may be made against the Company, unless the same is directly and solely attributable to any breach of contract or by negligence of the Company or its authorized employees.

8. Property and Risk - All risk in the goods passes to the buyer upon delivery, but property in the goods remains with the Company until all debts owing to the Company by the buyer (including payment for the goods) has been made in full.

9. Limitations of Conditions - These Conditions are to be so construed as not to infringe any State or Commonwealth legislation, and if necessary they shall be read down to such extent necessary to ensure they do not infringe. In the event that any conditions cannot be read down so as to infringe it shall be deemed to be void and severable.

Special Made Lockout Devices can be fabricated on request.

Contact us with your requirements.

Further information on CIRLOCK products are available by:

Phone: 07 5445 2910 (+61 7 5445 2910 outside Australia)

Email: sales@cirlock.com.au

Or contact your preferred distributor.

Products can also be viewed online at: www.cirlock.com.au

Work Safely - Just CIR-LOCK It™

CIRLOCK

Erik Larsen Pty. Ltd.

ABN 54058807266

Australia

Ph: 07-54452910

Fax: 07-54458612

www.cirlock.com.au

© 2009 Cirlock Company. All Rights Reserved.
All designs and prices may be changed anytime
without notice.

Disclaimer: Our products are not endorsed by
any person or company other than Cirlock - Erik
Larsen Pty. Ltd. The use of photos does not
indicate any relationship with the shown product
or any of its suppliers.

Your local supplier: